Client No RA65-01

**Radionics 6500 Template** 

| Туре | Description                         | Action Plan         |
|------|-------------------------------------|---------------------|
| 0    | Keypad operation                    | System Alarm        |
| 1    | Service required                    | System Alarm        |
| 2    | Set time                            | System Alarm        |
| 5    | Slotx/Linex (Lxx) Line Fault        | System Alarm        |
| 6    | Slotx/Linex (Lxx) Line Restore      | System Alarm        |
| 7    | Slotx/Linex (Lxx) line Card Trouble | System Alarm        |
| 8    | Slotx/Linex (Lxx) Line Card Restore | System Alarm        |
| 9    | Battery missing                     | System Alarm        |
| 10   | Battery Present                     | Zone Info, No Alarm |
| 11   | Battery Low                         | System Alarm        |
| 12   | Battery Restore                     | Restoral, No Alarm  |
| 13   | AC fail                             | System Alarm        |
| 14   | AC Restore                          | Restoral, No Alarm  |
| 15   | Paper in                            | Zone Info, No Alarm |
| 16   | Paper out                           | System Alarm        |
| 17   | Local Parameter Program In          | System Alarm        |
| 18   | Local Parameter Program Successful  | Zone Info, No Alarm |
| 19   | Printer On Line                     | Restoral, No Alarm  |
| 20   | Printer Off Line                    | System Alarm        |
| 21   | PRT Error                           | System Alarm        |
| 22   | PRT Restore                         | Restoral, No Alarm  |
| 30   | COM3 Error                          | System Alarm        |
| 31   | COM3 Trouble                        | System Alarm        |
| 32   | COM3 Restore                        | Restoral, No Alarm  |
| 33   | UPS Ac Fail                         | System Alarm        |
| 34   | UPS AC Restore                      | Restoral, No Alarm  |
| 35   | UPS Battery Low                     | System Alarm        |
| 36   | UPS Battery Restore                 | Restoral, No Alarm  |
| 37   | System Request                      | System Alarm        |
| 38   | System Default                      | System Alarm        |
| 39   | System Temperature High             | System Alarm        |
| 40   | System Departure Restore            | Restoral, No Alarm  |
| 41   | Local Software Program in           | System Alarm        |

Client No RA65-01

**Radionics 6500 Template** 

| Туре | Description                           | Action Plan         |
|------|---------------------------------------|---------------------|
| 42   | Local Software Program Successful     | Zone Info, No Alarm |
| 43   | Local Program Failure                 | System Alarm        |
| 44   | Local Program Denied                  | System Alarm        |
| 45   | Remote Parameter Program In           | System Alarm        |
| 46   | Remote Parameter Program Successful   | Zone Info, No Alarm |
| 47   | Remote software Program in            | System Alarm        |
| 48   | Remote Software Program Successful    | Zone Info, No Alarm |
| 49   | Remote Program Failure                | System Alarm        |
| 50   | Remote Program Denied                 | System Alarm        |
| 51   | Set Date                              | System Alarm        |
| 52   | Stop Two Way Audio                    | System Alarm        |
| 53   | CPU Data Error                        | System Alarm        |
| 54   | Network Error                         | System Alarm        |
| 55   | Network Restore                       | Restoral, No Alarm  |
| 56   | Account Status Failure                | System Alarm        |
| 57   | Account Status Restore                | Restoral, No Alarm  |
| 58   | C900 Battery Low                      | System Alarm        |
| 59   | C900 Reboot                           | System Alarm        |
| 60   | Slotx/Linex (Lxx) Communication error | System Alarm        |
| 61   | Slotx/Linex (Lxx) Communication Restr | System Alarm        |
| 62   | Slotx/Linex (Lxx) Data error          | System Alarm        |
| 63   | Slotx/Linex (Lxx) No Data Received    | System Alarm        |
| 64   | Slotx/Linex (Lxx) Reset               | System Alarm        |
| 65   | Slotx/Linex (Lxx) Codec error         | System Alarm        |
| 66   | Slotx/Linex (Ixx) Private Call        | System Alarm        |
| 67   | Slotx/Linex (Lxx) No Call Number      | System Alarm        |
| 68   | Slotx/Linex (lxx) Caller Unknown      | System Alarm        |
| 71   | No Acknowledgement Received           | System Alarm        |
| 72   | Not Dialing                           | System Alarm        |
| 73   | Dialing Error                         | System Alarm        |
| 74   | No Response To Handshake              | System Alarm        |
| 75   | No Response To Acknowledgement        | System Alarm        |
| 76   | Message Unknown                       | System Alarm        |
|      |                                       |                     |

## **Types Report**

Client No RA65-01

**Radionics 6500 Template** 

| Туре   | Description                            | Action Plan         |
|--------|--|---------------------|
| 77     | Invaild Message                        | System Alarm        |
| 81     | Switch to Fallback Mode                | System Alarm        |
| 82     | C900 Switched to Fallback              | System Alarm        |
| 83     | Diable Intercept Mode                  | System Alarm        |
| 84     | Activate output                        | System Alarm        |
| 85     | C900 Output Activated                  | System Alarm        |
| 86     | Deactivate Output                      | System Alarm        |
| 87     | C900 Switched to Intercept             | System Alarm        |
| 88     | Switch to Intercept Mode               | System Alarm        |
| 89     | C900 Input Shorted                     | System Alarm        |
| 90     | C900 Input Open                        | System Alarm        |
| 91     | C900 Input Restored                    | Restoral, No Alarm  |
| 92     | C900 Intercept Enabled                 | System Alarm        |
| 93     | C900 Intercept Disabled                | System Alarm        |
| 94     | C900 Output Deactivated                | System Alarm        |
| 95     | 30 Minutes Since Fallback Command      | System Alarm        |
| 10,752 | Audio In                               | Zone Info, No Alarm |
| 16,896 | Busy (Zone indicates seconds)          | Zone Info, No Alarm |
| 19,456 | Audio Done                             | Zone Info, No Alarm |
| 23,296 | Communication Error                    | System Alarm        |
| 65,000 | Receiver in error has Restored         | Restoral, No Alarm  |
| 65,001 | Client Late to close                   | Low Priority Alarm  |
| 65,002 | No signals received from client        | System Alarm        |
| 65,003 | Receiver Failure                       | System Alarm        |
| 65,005 | Manual Paging Signal                   | Zone Info, No Alarm |
| 65,006 | Pager/Email Failure                    | System Alarm        |
| 65,007 | Client Unset out of hours              | Low Priority Alarm  |
| 65,009 | IRFast descript logged without details | System Alarm        |
| 65,012 | Caller ID logged                       | Zone Info, No Alarm |
| 65,020 | Polling Restore                        | Restoral, No Alarm  |
| 65,021 | Polling Failure                        | System Alarm        |
| 65,022 | IRFast No description logged           | System Alarm        |
| 65,023 |  | Zone Info, No Alarm |

Client No RA65-01

**Radionics 6500 Template** 

| Туре   | Description                           | Action Plan         |
|--------|---------------------------------------|---------------------|
| 65,024 |                                       | Zone Info, No Alarm |
| 65,025 |                                       | Zone Info, No Alarm |
| 65,026 | Change of Logs                        | Zone Info, No Alarm |
| 65,027 | Successful Send                       | Zone Info, No Alarm |
| 65,028 | Alarm no restoral received            | System Alarm        |
| 65,029 | Bad checksum in signal                | System Alarm        |
| 65,030 | Comm port error                       | System Alarm        |
| 65,031 | Bad caller ID                         | System Alarm        |
| 65,032 | Bad unrecognised data                 | System Alarm        |
| 65,046 | Start of listen in                    | Zone Info, No Alarm |
| 65,047 | End of listen in                      | Zone Info, No Alarm |
| 65,050 | Multi-knock                           | Zone Info, No Alarm |
| 65,051 | Late to open                          | Low Priority Alarm  |
| 65,052 | Early to close                        | Low Priority Alarm  |
| 65,053 | Email error                           | System Alarm        |
| 65,054 | Poll signal                           | Zone Info, No Alarm |
| 65,055 | Receiver error message                | System Alarm        |
| 65,056 | Attend report                         | Zone Info, No Alarm |
| 65,057 | Publishing failed                     | System Alarm        |
| 65,058 | Publishing restored                   | Restoral, No Alarm  |
| 65,059 | Attend report complete                | Zone Info, No Alarm |
| 65,061 | Archive of current log was successful | Zone Info, No Alarm |
| 65,062 | Archive of current log has failed     | System Alarm        |
| 65,063 | Archive clean was successful          | Zone Info, No Alarm |
| 65,068 | Archive clean has failed              | System Alarm        |
| 65,069 | WWW Archive clean was successful      | Zone Info, No Alarm |
| 65,070 | WWW Archive clean has failed          | System Alarm        |
|        |                                       |                     |